

Form PTO-1449		Docket Number (Optional) 0152,00372		Application Number 09/593,629		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION		Applicant Don F. Cameron, et al				
(Use several sheets if necessary)		Filing Date 09/13/00		Inventor Don F. Cameron		
U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILED DATE IF APPROPRIATE
2	5,844,410	12/1/99	Selawry			
	5,958,404	6/28/00	Selawry			
	5,849,285	12/29/99	Selawry			
	5,759,534	6/12/99	Selawry			
	5,725,852	11/17/99	Selawry			
FOREIGN PATENT DOCUMENTS						
	DOCKET NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
OTHER DOCUMENTS (Including Author, Title, Date Pertinent Pages, Etc.)						
	Alderson, D. et al (1987): The Isolation of Purified Human Islets of Langerhans. <i>Transplant Proc.</i> 19:916-917					
	Alison E. et al (1998): Sertoli cell transplants: their use in the treatment of neurodegenerative disease. <i>Mol. Med. Today</i> 4:471-477					
	Bardin, C.W. et al (1988): The Sertoli Cell. In: <i>The Physiology of Reproduction</i> . Knobil, E. and J. Neill (eds). Raven Press, Ltd., New York. Pp 933-974.					
	Barker, C.F. et al (1988): The Role of Allogeneic Lymphocytes in the Rejection of Skin Homografts. <i>J. Exp. Med.</i> 168:197-221					
	Becker, J.L. et al (1993): Three-Dimensional Growth and Differentiation of Ovarian Tumor Cell Line in High Aspect Rotating-Wal Vessel: Morphologic and Embryologic Considerations. <i>J. Cellul. Biochem.</i> 51:283-289					
	Belgerau, D. et al (1995): A role for CD95 Ligand in Preventing Graft Rejection. <i>Nature</i> 377:600-602					
	Berlingon, C.V. et al (1996): Functional recovery in female hemiparkinsonian rats following transplantation of Sertoli cells. <i>Proc. Am. Soc. Neur. Transp.</i>					
	Berlingon, C.V. et al (1997): Intracerebral transplantation of testis-derived Sertoli cells in female rats with 6-hydroxydopamine induced hemiparkinsonian promotes functional recovery. <i>Exp. Neurol.</i> 148:388-392					
	Born, W. and H. Wokoschke (1982): Leydig Cells Nonspecifically Suppress Lymphoproliferation In Vitro. Implications for the Testis as an Immunologically Privileged Site. <i>Am. J. Reprod. Immunol.</i> 2:291-295					
	Born, W. et al (1981): Selective, Immunologically Nonspecific Adherence of Lymphoid Cells and Myeloid Cells to Leydig Cells. <i>Eur. J. Cell Biol.</i> 25:76-81					
	Calafiore, R. et al (1990): A Method for the Massive Separation of Highly Purified, Adult Proximal Islets of Langerhans. <i>Metabolism</i> 39:175-181					
	Cameron, D.F. et al (1990): Successful Islet Abdominal Testis Transplantation Does Not Require Leydig Cells. <i>Transplantation</i> 50:641-653					
	Cameron, D.F. et al (1990): Sustained Hyperglycemia Results in Testicular Dysfunction and Reduced Fertility Potential in BBWDR Diabetic Rats. <i>J. Physiol.</i> 259 (Endocrinol. Metab., 22):E881-E889					
	Cameron, D.F. et al (1991): Hormonal Regulation of Spermato Binding to Sertoli cells In Vitro. <i>J. Cell Sci.</i> 100:623-631					
	Cameron, D.F. et al (1993): Testosterone Stimulates Spermato Binding to Competent Sertoli cells In Vitro. <i>Endocrinol.</i> 133:151-155					

RECEIVED

E. J. ... 4/12/02

	Cameron, D.F. et al. (1990). Enhanced post-transplant viability of cryopreserved rat fetal brain cells by Sertoli cells by Sertoli cell Secretory products. <i>Proc. Am. Soc. Neuro. Transp.</i>
	Cameron, D.F. et al. (1992). Post-transplant viability and functionality of cryopreserved rat fetal brain cells co-cultured with Sertoli cells. <i>Cell Transplant.</i> 6:185-189.
	Cameron, D.F. et al. (1996). Development of Sertoli cell binding competence in the periparturient rat. <i>J. Androl.</i> 19:373-379.
	Cantrell, D.A. et al. (1991). The Interleukin-2 T-Cell system: A New Cell Growth Model. <i>Science</i> 224:1312-1316.
	Chervovskiy, A.V. et al. (1997). The role of Fas in autoimmune diabetes. <i>Cell</i> 89:17.
	DeCesars, A. et al. (1992). Interleukin-1 Lymphocyte Activation by Sertoli Cell Immunosuppressive Factors. <i>Immunology et Immunopathology</i> 122:2-86.
	Edgington, S.M. (1992). New Horizons for Stem-Cell Bioreactors. <i>BioTechnology</i> 10:1089-1106.
	Evans M.G. et al. (1990). Reversal of Diabetes in Dogs by Transplantation of Pure cryopreserved Islets. <i>Transplantation</i> 50:202-206.
	Fawcett, D.W. et al. (1973). Comparative Observation on Interstitial Lymphatics and the Organization of the Interstitial Tissue of the Mammalian Testis. <i>Biol. Reprod.</i> 9:500-512.
	Gamer, A.L. et al. (1998). Improved survival of biologically transfected mouse islet allografts expressing CTLA4-Ig or soluble Fas ligand. <i>Transplantation</i> 66:194-9.
	Gondos, B. et al. (1993). Postnatal and Pubertal Development. In: <i>The Sertoli Cell</i> , 1993. Russell L.D, Griswold M.D (eds). Cache River Press, Clearwater, Florida, pp 493-508.
	Griswold, T.J. et al. (1992). Morphologic Differentiation of Colon Carcinoma Cell Lines HT-29 and HT-29KM in Rotating Wall Vessels. <i>In Vitro Cell Dev. Biol.</i> 28A:47-60.
	Griswold, T.J. et al. (1993). Reduced Shear Stress: A Minor Component in the Ability of Mammalian Tissues to Form Three-Dimensional Assemblies in Stimulated Microgravity. <i>J. Cellul. Biochem.</i> 51:301-311.
	Griswold, T.J. et al. (1992). Rotating-Wall Vessel Coculture of Small Intestine as a Prelude to Tissue Modeling: Aspects of Stimulated Microgravity. <i>Proced. Experiment. Biol. Med.</i> 202:181-192.
	Gray, D.W.R. et al. (1984). A Method for the Isolation of Islets of Langerhans from the Human Pancreas. <i>Diabetes</i> 33:1055-1061.
	Green, C.J. et al. (1978). Extensive Prolongation of Rabbit Kidney Allograft Survival after Short-Term Cyclosporin-A Treatment. <i>Lancet</i> 1:1102-1103.
	Griswold M.D. Actions of FSH on mammalian Sertoli cells. In: <i>The Sertoli Cell</i> , 1993. Russell L.D, Griswold M.D (eds). Cache River Press, Clearwater, Florida, pp 493-508.
	Hadley, M. et al. (1985). Extracellular matrix regulates Sertoli cell differentiation, testis cord formation and germ cell development in vitro. <i>J. Cell Biol.</i> 101:1511-22.
	Head, J. et al. (1983). Immune Privilege in the Testis. I. Basic Parameters of Allograft Survival. <i>Transplantation</i> 36:423-431.
	Head, J. et al. (1981). Reconsideration of the Lymphatic Drainage of the Rat Testis. <i>Transplantation</i> 35:91-95.
	Hedger, M.P. (1989). The Testis as an "Immunologically Suppressed" Tissue? <i>Reprod. Fertil. Dev.</i> 1:75-81.
	Hess, A.D. (1985). Effect of Interleukin 2 on the Immunosuppressive Action of Cyclosporine. <i>Transplantation</i> 39:62-68.
	Homan, W.P. et al. (1990). Studies on the Immunosuppressive Properties of cyclosporin A in Rats Receiving renal Allografts. <i>Transplantation</i> 29:361-366.
	Horaguchi, A. and R.C. Merrell (1981). Preparation of Viable Islet Cells from Dogs by a New Method. <i>Diabetes</i> 30:455-458.
	Kang, S.M. et al. (1997). Fas ligand expression in islets of Langerhans does not confer immune privilege and instead targets them for rapid destruction. <i>Nature Med.</i> 3:738.
	Kaufman, D.B. et al. (1990). Functional Outcome as Influenced by Islet Number and Implantation Site. <i>Transplantation</i> 50:385-391.
	Kneteman, N.M. et al. (1986). Isolation and Cryopreservation of Human Pancreatic Islets. <i>Transplant. Proc.</i> 18:182-183.
	Kneteman, N.M. et al. (1990). Prolonged Function of Canine Fragments Autotransplanted to the Spleen by Venous Reflux. <i>Transplantation</i> 49:679-681.
	Kuhn F. et al. (1985). Morphological Investigations in Human Islets of Langerhans Isolated by the Velocity Technique. <i>Biochem. Biophys. Acta</i> 44:149-153.
	Lau, H. et al. (1996). Prevention of islet allograft rejection with engineered myoblasts expressing FasL in mice. <i>Science</i> 273:109.
	Leapman, S.B. et al. (1981). Differential Effects of Cyclosporine A on Lymphocyte Subpopulations. <i>Transplant. Proc.</i> 13:405-409.
	London, N.J.M. et al. (1990). A Simple Method for the Release of Islets by Controlled Digestion of the Human Pancreas. <i>Transplantation</i> 49:1104-1113.
	Martin, D.C. (1982). Malignancy in the Cryoprotected Testis. <i>End. Clin. N. Amer.</i> 9:371-376.
	Murphy, D. et al. (1997). Adenovirus-mediated expression of Fas ligand induces hepatic apoptosis after systemic administration and apoptosis of ex vivo infected pancreatic islet allografts and isografts. <i>Human Gene Ther.</i> 8:955.

	Nan, A. et al. (1981). Prevention of Diabetes in Rats by Bone Marrow Transplantation. <i>Ann. Surg.</i> 194:128-135.
	Ogasawara, I. et al. (1993). Lethal effect of the anti-Fas antibody in mice. <i>Nature</i> 364:696.
	Ohlberg, A. I. et al. (1998). Preparation of cell suspension for co-transplantation: methodological considerations. <i>Neurosci. Lett.</i> 247:111-114.
17 0001	Ohlberg, A. I. et al. (1998). Trophic effect of porcine Sertoli cells on rat and human ventral mesencephalic cells and hNT neurons in vitro. <i>Cell Transplant.</i> 7:157-164.
	Prosser, S. J. et al. (1986). Islet Allografts are Destroyed by Disease Occurrence in the Spontaneously Diabetic BB Rat. <i>Diabetes</i> 35:110-118.
	Ricordi, C. et al. (1989). Automated Islet Isolation from Human Pancreas. <i>Diabetes</i> 38 (Suppl. 1):140-142.
	Ricordi, C. et al. (1990). Isolation of the Insulin Producing Islet. <i>Surgery</i> 107:688-694.
	Sanberg, P. R. et al. (1985). New horizons in xenograft cross-species transplantation for neurodegenerative disease. <i>Proc. Internat. Behav. Neurosci. Soc.</i>
	Sanberg, P. R. et al. (1995). The effects of Sertoli cell co-transplantation with clonidine cells in the rat model of Parkinson's disease. <i>Nature's Letters</i> - In review.
	Sanberg, P. R. et al. (1996). Testis-derived Sertoli cells survive and provide localized immunoprotection for xenografts in rat brain. <i>Nature Biotechnol.</i> 14:1692-5.
	Sanberg, P. R. et al. (1996). Transplantation of testis-derived Sertoli cells into the Mammalian brain. <i>Third Interna. Conf. Cell Transpl. Soc.</i>
	Sanberg, P. R. et al. (1997). Testis-derived cultured Sertoli cell as a natural FasL secreting cell for immunosuppressive cellular therapy. <i>Cell Transplant.</i> 191-193.
	Sanberg, P. R. et al. (1997). Testis-derived Sertoli cells have a trophic effect on dopamine neurons and alleviate hemiparkinsonian in rats. <i>Nature Medicine</i> 3:1129-1132.
	Scharp, D. W. (1988). The Elusive Human Islet: Variables Involved in its Effective Recovery. In: VanSchilaeard R. Hardy M. A. eds. <i>Transplantation of the Endocrine Pancreas in Diabetes Mellitus</i> . Amsterdam Elsevier, page 97.
	Scharp, D. W. et al. (1987). Low-Temperature Culture of Human Islets Isolated by the Distention Method and Purified with Ficoll or Percoll Gradients. <i>Surgery</i> 102:869-879.
	Schwartz, R. P. et al. (1992). Cell Culture for Three-Dimensional Modeling in Rotating-Wall Vessels: An Application of Stimulated Microgravity. <i>J. Tissue Cult. Meth.</i> 13:51-58.
	Selawry, H. et al. (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. <i>Cell Transplantation</i> 2:125-129.
	Selawry, H. et al. (1994). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. <i>Cell Transplantation</i> 2:125-129.
	Selawry, H. et al. (1986). Effect of Cyclosporine on Islet Xenograft Survival in the BB/W Rat. <i>Transplantation</i> 42:568-575.
	Selawry, H. et al. (1987). Extended Survival of the MHC-Compatible Islet Isografts in the Spontaneously Diabetic BB/W Rat. <i>Diabetes</i> 36:1061-1070.
	Selawry, H. et al. Production of a Factor, or Factors, Suppressing H-2 Production and T Cell Proliferation by Sertoli Cell-Enriched preparations. <i>Transplantation</i> 52:846-850.
	Selawry, H. P. et al. (1989). Abdominal, Intratesticular Islet Xenograft Survival in Rat. <i>Diabetes</i> 38:220-224.
	Selawry, H. P. et al. (1996). Sertoli Cell-induced Effects on Functional and Structural Characteristics of Isolated Neonatal Porcine Islets. <i>Cell Transplantation</i> 5:517-24.
	Selawry, H. R. et al. (1985). Intratesticular Islet Allografts in the Spontaneously Diabetic BB/W Rat. <i>Diabetes</i> 34:1019-1023.
	Skinner, M. K. (1993). Secretion of Growth Factors and Other Regulatory Factors. In: <i>The Sertoli Cell</i> , 1993, Russell L. D. Griswold M.D. (eds). Calk River Press, Clearwater, Florida, pp 493-506.
	Tanaka, M. et al. (1997). Lethal effect of recombinant human Fas ligand in mice pretreated with Propionibacterium. <i>J. Immunol.</i> 158:2403.
	Thompson, S. C. et al. (1990). Preparation and Assessment of Tissue for Transplantation and its In Vivo Development in Athymic Nude Mice. <i>Transplantation</i> 49:571-581.
	Warnock, G. L. et al. (1988). Studies of the Isolation and Viability of Human Islets of Langerhans. <i>Transplantation</i> 45:957-963.
	Warnock, G. L. et al. (1989). Viable Purified Islets from Collagenase-Perfused Human Pancreas. <i>Diabetes</i> 38 (Suppl. 1):136-139.
	Weninger, E. J. et al. (1985). Immune Attack on Pancreatic Islet Transplants in the Spontaneously Diabetic, Dobbins-Worcester (BB/W) Rat is not MHC Restricted. <i>J. Immunol.</i> 134:2383-2391.
	Whitmore, W. F. et al. (1978). Intratesticular Grafts: The Testis as an Exceptionally Immunologically Privileged Site. <i>Trans. Am. Assoc. Gen. Urology Surg.</i> 70:76-80.
	Wickelgren, I. (1996). Muscling Transplants into Mice. <i>Science</i> 273:33.
	Williams, H. H., P. Barkham, and N. G. P. Slater. (1978). Testicular Relapse in Acute Leukemia. <i>Lancet</i> 2:1152-1156.

[Handwritten signature] 4/12/02

	Willing, A.F. et al. (1998). Sertoli transplants to treat neurodegenerative disease. <i>Mol. Med. Today</i> , 1471-477
	Willing, A.F. et al. (1997). Sertoli cells decrease <i>muscle</i> response and increase engraftment of human hNT neurons in the hemiparkinsonial rat striatum. <i>Brain Res. Bull.</i> , 48: 411-414.
	Willing, A.F. et al. (1999). Sertoli cells enhance the survival of co-transplanted dopamine neurons. <i>Brain Research</i> , 822: 246-250
	Yagita, H. et al. (1996). CD95 ligand in graft rejection. <i>Nature</i> , 379: 682
EXAMINER	DATE CONSIDERED
C. [Signature]	4/12/01
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.	

PTO/SB-08 (2-92)
COMMERCE

Patent and Trademark Office, U.S. DEPARTMENT OF